

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/562,235	10/31/2006	Syouji Nogami	P35795	8539	
7550 07/17/2009 GREENBLUM & BERNSTEIN, P.L.C.			EXAM	EXAMINER	
1950 Roland Clarke Place			MCCALL SHEPARD, SONYA D		
Reston, VA 20191			ART UNIT	PAPER NUMBER	
			2813		
			MAIL DATE	DELIVERY MODE	
			07/17/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Application No. Applicant(s) 10/562 235 NOGAMI ET AL. Office Action Summary Examiner Art Unit Sonva D. McCall-Shepard 2813 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 20 April 2009. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-24 is/are pending in the application. 4a) Of the above claim(s) 12 and 15-24 is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 1-11,13 and 14 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received.

Attachment(s)

| Motice of References Cited (PTO-892) | Motice of Draftsperson's Patent Drawing Review (PTO-948) | Paper Nots)Mail Date |

2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. Copies of the certified copies of the priority documents have been received in this National Stage

application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### DETAILED ACTION

### Election/Restrictions

Applicant's election with traverse of Group I claims 1 to 11, 13 and 14 in the reply filed
on 20 April 2009 is acknowledged. The traversal is on the ground(s) that unity of invention
requirements apply to this application and that examiner has not established a serious burden in
the examination of the claims in a single application.

This is not found persuasive because the features common to these claims have been disclosed in JP 2003-218037 contained in Group I, claims 1 to 11, 13 and 14 and Group II, claims 12 and 15 to 24. There appear to be at least two special technical features contained in the above claims: (1) a method of manufacturing a semiconductor wafer and (2) a semiconductor wafer. These technical features appear to be present in various combinations (along with other features) in the above claims. Consequently, there are two inventions in the present application. The requirement of unity of invention is not satisfied a posteriori.

There would be a serious search and examination burden if restriction were not required because one or more of the following reasons apply: (a) the inventions have acquired a separate status in the art in view of their different classification (Group I, claims 1 to 11, 13 and 14, class 438, method of making semiconductor devices and Group II, claims 12 and 15 to 24, class 257, semiconductor devices); (b) the inventions require a different field of search (Group I, claims 1 to 11, 13 and 14, class 438/478 and Group II, claims 12 and 15 to 24, class 257/347).

The requirement is still deemed proper and is therefore made FINAL.

Application/Control Number: 10/562,235 Page 3

Art Unit: 2813

# Specification

The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

#### Claim Objections

3. Claim 1 is objected to because of the following informalities: line 3, the temperature range should read "1150 to 400 °C" since the epitaxial layer is being grown by gradually reducing the temperature. Claims 2 to 11, 13 and 14 are objected because they depend from objected claim 1. Appropriate correction is required.

# Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- Claims 1 to 11, 13 and 14 are rejected based on the Japanese Search Report document, JP 2003-218037.
- Claims 1, 2, 4, 10 and 11 are rejected under 35 U.S.C. 102(a) as being anticipated by Nobuhiro et al. (JP 2003-218037).

With regard to claim 1, Nobuhiro et al. disclose a manufacturing method of a semiconductor wafer comprising, wherein an epitaxial layer (4) is grown in a trench (3) of a


Art Unit: 2813

semiconductor wafer (1) having a trench structure by gradually reducing a temperature in a temperature range of 400 to 1150°C or by gradually reducing a temperature and then lowering the temperature at a predetermined speed based on a vapor growth method while supplying a silane gas as a raw material gas, thereby filling the epitaxial layer in the trench (figs. 1-3, claims 1-10).


With regard to claims 2 and 4, Nobuhiro et al. disclose a step of forming a first layer (4) on an inner surface of the trench (3) of the semiconductor wafer (1) at a first temperature in the range of 900 to 1150°C by the vapor growth method; a step of forming a second layer (5) on a surface of the first layer (4) in the trench (3) at a second temperature in the range of 850 to 1100°C lower than the first temperature by the vapor growth method; and a step of forming a third layer (6) on a surface of the second layer (5) in the trench (3) at a third temperature in the range of 800 to 1050°C lower than the second temperature by the vapor growth method so that the epitaxial layer consisting of the first layer, the second layer and the third layer is filled in the trench (figs. 1-3, claims 1-10)


With regard to claims 10 and 11, Nobuhiro et al. disclose a temperature at which the epitaxial layer is grown by the vapor growth method falls within a range of 650 to 950°C (figs. 1-3, 8).

Art Unit: 2813



Art Unit: 2813





Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior at are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/562,235 Art Unit: 2813

8. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later

invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c)

and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

 Claims 3, 5 and 6, 7, 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nobuliro et al. (JP 2003-218037).

With regard to claim 3, Nobuhiro et al. disclose a step of forming a first layer (4) on an inner surface of the trench (3) of the semiconductor wafer (1) at a first temperature in the range of 900 to 1150 °C by the vapor growth method; a step of forming a second layer (5) on a surface of the first layer (4) in the trench (3) at a second temperature in the range of 850 to 1100 °C lower than the first temperature by the vapor growth method; a step of forming a third layer (6) on a surface of the second layer (5) in the trench (3) at a third temperature in the range of 800 to 1050 °C lower than the second temperature by the vapor growth method (figs. 1-3). Nobuhiro teaches a step of repeating the layers one or more times (claim 2), therefore one having ordinary skill in the art at the time the invention was made would recognize that the repeating step of Nobuhiro, would be obvious in order to fill the trench with multiple layers for use in a semiconductor device. Nobuhiro et al. do not teach a step of forming a fourth layer on a surface of the third layer in the trench at a fourth temperature in the range of 750 to 1000 °C lower than

the third temperature by the vapor growth method so that the epitaxial layer. This is prima facic obvious without showing that the claimed ranges achieve unexpected results relative to the prior art range. In re Woodruff 16 USPQ2d 1935, 1937 (Fed. Cir. 1990). See also In re Huang, 40 USPQ2d 1685, 1688 (Fed. Cir. 1996) (claimed ranges, are unpatentable unless they produce a new and unexpected result which is different in kind and not merely in degree from the results of the prior art). See also In re Boesch, 205 USPQ 215 (CCPA) (discovery of optimum value of result effective variable in known process is ordinarily within skill of art) and In re Aller, 105 USPQ 233 (CCPA 1955) (selection of optimum ranges within prior art general conditions is obvious). One of ordinary skill in the art at the time of the invention would recognize that it would be obvious to optimize variables to achieve desired characteristics of semiconductor device.

With regard to claim 5, Nobuhiro et al. disclose a step of forming a first layer (4) on an inner surface of the trench (3) of the semiconductor wafer (1) at a first temperature in the range of 900 to 1150 °C by the vapor growth method; a step of forming a second layer (5) on a surface of the first layer (4) in the trench (3) at a second temperature in the range of 850 to 1100°C lower than the first temperature by the vapor growth method; a step of forming a third layer (6) on a surface of the second layer (5) in the trench (3) at a third temperature in the range of 800 to 1050°C lower than the second temperature by the vapor growth method (figs. 1-3). Nobuhiro et al. teach a step of repeating the layers one or more times (claim 2), therefore one having ordinary skill in the art at the time the invention was made would recognize that the repeating step of Nobuhiro et al., would be obvious in order to fill the trench with multiple layers for use in a semiconductor device. Nobuhiro et al. do not teach a step of forming a fourth layer on a surface

Art Unit: 2813

of the third layer in the trench by the vapor growth method while reducing a temperature from the third temperature at a speed of 1 to 100°C/min. This is prima facie obvious without showing that the claimed ranges achieve unexpected results relative to the prior art range. In re Woodruff 16 USPQ2d 1935, 1937 (Fed. Cir. 1990). See also In re Huang, 40 USPQ2d 1685, 1688 (Fed. Cir. 1996) (claimed ranges, are unpatentable unless they produce a new and unexpected result which is different in kind and not merely in degree from the results of the prior art). See also In re Boesch, 205 USPQ 215 (CCPA) (discovery of optimum value of result effective variable in known process is ordinarily within skill of art) and In re Aller, 105 USPQ 233 (CCPA 1955) (selection of optimum ranges within prior art general conditions is obvious). One of ordinary skill in the art at the time of the invention would recognize that it would be obvious to optimize variables to achieve desired characteristics of semiconductor device.

With regard to claims 6, 7, 13 and 14, Nobuhiro et al. do not explicitly teach the width of the layers with respect to the trench. These claims are prima facie obvious without showing that the claimed ranges achieve unexpected results relative to the prior art range. In re Woodruff 16 USPQ2d 1935, 1937 (Fed. Cir. 1990). See also In re Huang, 40 USPQ2d 1685, 1688 (Fed. Cir. 1996) (claimed ranges, are unpatentable unless they produce a new and unexpected result which is different in kind and not merely in degree from the results of the prior art). See also In re Boesch, 205 USPQ 215 (CCPA) (discovery of optimum value of result effective variable in known process is ordinarily within skill of art) and In re Aller, 105 USPQ 233 (CCPA 1955) (selection of optimum ranges within prior art general conditions is obvious). One of ordinary skill in the art at the time of the invention would recognize that it would be obvious to optimize variables to achieve desired characteristics of semiconductor device.

Art Unit: 2813

 Claims 8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nobuhiro et al. (JP 2003-218037) in view of Yamauchi et al. (US 6.495.294).

With regard to claim 8, Nobuhiro et al. teach a semiconductor wafer left in the air for eight hours or more in a state where a trench has been formed in the semiconductor wafer or in a state where the first layer, the second layer or the third layer has been formed on the inner surface of the trench. Nobuhiro et al. do not teach a semiconductor wafer is dipped in a mixture of an alkaline water solution and hydrogen peroxide solution having an etching rate of 0.1 to 1 nm/min for 1 to 10 minutes and cleansed, and then the semiconductor wafer is dipped in fluorinated acid for 0.1 to 60 minutes and cleansed. Yamauchi et al. teach a semiconductor wafer is dipped in an acidic or alkaline etchant to increase a width of the trench before forming the third layer or the fourth layer required to completely fill the inside of the trench of the semiconductor wafer and cleansed in HF (col. 9, lines 1-5, col. 18, lines 30-33). It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a common etchant such as an alkaline water solution and hydrogen peroxide solution to increase a width of the trench before forming the third layer or the fourth layer required to completely fill the inside of the trench of the semiconductor wafer as taught by Yamauchi to improve the filling property. The above combination does not teach a solution having an etching rate of 0.1 to 1 nm/min for 1 to 10 minutes, nor dipping the semiconductor wafer fluorinated acid for 0.1 to 60 minutes, this is prima facie obvious without showing that the claimed ranges achieve unexpected results relative to the prior art range. In re Woodruff 16 USPQ2d 1935, 1937 (Fed. Cir. 1990). See also In re Huang, 40 USPO2d 1685, 1688 (Fed. Cir. 1996) (claimed ranges, are unpatentable unless they produce a new and unexpected result which is different in kind and not merely in

Art Unit: 2813

degree from the results of the prior art). See also In re Boesch, 205 USPQ 215 (CCPA) (discovery of optimum value of result effective variable in known process is ordinarily within skill of art) and In re Aller, 105 USPQ 233 (CCPA 1955) (selection of optimum ranges within prior art general conditions is obvious). One of ordinary skill in the art at the time of the invention would recognize that it would be obvious to optimize variables to achieve desired characteristics of semiconductor device.

With regard to claim 9, Nobuhiro et al. teach a semiconductor wafer etched to increase the width of the trenchin a gaseous environment before forming multiple layers after the first and second layers required to completely fill the inside of the trench of the semiconductor wafer (claim 2), but does not teach a semiconductor wafer is dipped in an acidic or alkaline etchant having an etching rate of 0.1 to 1 um/min for 0.1 to 10 minutes to increase a width of the trench before forming the third layer or the fourth layer required to completely fill the inside of the trench of the semiconductor wafer. Yamauchi et al. teach a semiconductor wafer is dipped in an acidic or alkaline etchant to increase a width of the trench before forming the third layer or the fourth layer required to completely fill the inside of the trench of the semiconductor wafer (col. 9, lines 1-5). It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a common etchant such as an acidic etchant to increase a width of the trench before forming the third layer or the fourth layer required to completely fill the inside of the trench of the semiconductor wafer as taught by Yamauchi to improve the filling property. The above combination does not teach an etching rate of 0.1 to 1 \mum/min for 0.1 to 10 minutes, this is prima facie obvious without showing that the claimed ranges achieve unexpected results relative to the prior art range. In re Woodruff 16 USPQ2d 1935, 1937 (Fed. Cir. 1990). See also In re Huang, 40 USPQ2d 1685, 1688 (Fed. Cir. 1996) (claimed ranges, are unpatentable unless they produce a new and unexpected result which is different in kind and not merely in degree from the results of the prior art). See also In re Boesch, 205 USPQ 215 (CCPA) (discovery of optimum value of result effective variable in known process is ordinarily within skill of art) and In re Aller, 105 USPQ 233 (CCPA 1955) (selection of optimum ranges within prior art general conditions is obvious). One of ordinary skill in the art at the time of the invention would recognize that it would be obvious to optimize variables to achieve desired characteristics of semiconductor device.

### \*\*\*\*\*

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sonya D. McCall-Shepard whose telephone number is 571-272-9801. The examiner can normally be reached on Monday - Friday 8:30-5:00 E.S.T.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Landau can be reached on 571-272-1731. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2813

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. D. M./ Examiner, Art Unit 2813

/W. David Coleman/ Primary Examiner, Art Unit 2823